THE NEW-LOOK ISUZU D-MAX BUSINESS RANGE

isuzu.co.uk

ISUZU

ISUZU

THE PICK-UP PROFESSIONALS

and the second

THE NEW-LOOK ISUZU D-MAX BUSINESS RANGE

Built for performance under the most demanding working conditions, the Isuzu D-Max Business range combines durability with new levels of safety and comfort. The Utility model is the smart choice for professionals who put their pick-up to work.



*5 year / 125,000 miles (whichever comes first) warranty applies to all new Isuzu D-Max models. **3.5 tonne towing applies to all 4x4 models. *Single cabs are subject to commercial vehicle speed limits.

This really is, for a savvy buyer, a perfect vehicle for today's modern business."

THE SCOTTISH FARMER

IZUZU

D-MAX

SMARTER.

The Isuzu D-Max Utility is packed with intelligent drive features that let you focus on the job.

THE NEW-LOOK ISUZU D-MAX BUSINESS RANGE

51121

ISUZU MAX





TOUGH EXTERIOR

Available in a choice of single, extended or double cab, there's an Isuzu D-Max Utility for all requirements.

Equipped with durable steel wheels and hard-wearing black plastic bumpers, door mirrors and door handles, the Isuzu D-Max Utility is ideally suited to the working environment.

A step is integrated into the rear bumper making it easier to access the load area and a tailgate damper is standard on Utility Double Cabs.

INTELLIGENT DRIVE

Automatic headlights feature high beam assist and automatic windscreen wipers will activate when moisture is detected on the windscreen.

Speed-sensitive power steering makes steering lighter at lower speeds, so it's easy to manoeuvre in tight spaces, and heavier at higher speeds for stability and control.

Improve fuel economy and reduce emissions with our Stop & Start system. This efficient feature turns off the engine momentarily when the truck is at a standstill.



STRONGER.

ISUZU

DMAX

With formidable load and towing capacity, the Isuzu D-Max is built to get the job done.

STRONG HAUL FOR THE LONG HAUL

Carrying over a 1.1 tonne payload, the Isuzu D-Max Utility loves work loads.

It has a 3.5 tonne towing capacity* and is equipped with trailer sway control* that can detect the onset of trailer swing and reduce vehicle speed if sway is identified.

ALL-TERRAIN CONFIDENCE

4WD shift-on-the-fly^{*} has three configuration settings to suit different terrains and conditions.

Hill Start Assist and Hill Descent Control are standard on all Utility models. This practical specification helps the driver negotiate hills smoothly and get the job done safely.

Built on a durable ladder chassis, the Utility has additional underbody protection covers to safeguard key components when travelling off-road.

*4x4 models only



SAFER.

Best-in-class safety features—plus a maximum 5 star NCAP rating—take pick-up safety to a whole new level.

ISUZU

DMAX



FORWARD COLLISION WARNING Monitors the road ahead and alerts the driver of a potential collision.

AUTONOMOUS EMERGENCY BRAKING Automatically applies the brakes to either prevent an accident or reduce the severity of an impact depending on speed.

TRAFFIC SIGN RECOGNITION Reads standard road signs ahead and displays any change in speed limit on the Multi-Information Display.

1. 11 11 11 18 18 18 -

ADVANCED DRIVER ASSIST SYSTEMS (ADAS)

INTELLIGENT SPEED LIMITER

Keeps vehicle speed below the speed limit of the road it is travelling along.

LANE DEPARTURE WARNING

Alerts the driver if they are about to drift out of their lane.

LANE DEPARTURE PREVENTION SYSTEM

Adjusts steering direction to help prevent lane departure if the vehicle is about to depart its lane without indicating.

BLIND SPOT MONITOR¹

Detects vehicles in the driver's blind spot and alerts the driver via an orange warning light in the door mirror.

EMERGENCY LANE KEEPING¹

If there is a vehicle in the driver's blind spot when changing lanes, the system will adjust the steering direction to prevent the lane change and avoid the collision.

REAR CROSS TRAFFIC ALERT¹

Detects vehicles approaching from the left or right while reversing out of a parking space.

ADAS are driving support systems which may not operate optimally under all driving conditions or for all objects. The driver is always responsible for safe and attentive driving and observance of traffic regulations. See Owner's Manual for complete details on system operation and limitations. ¹Double Cab models only.





"A surprising amount of premium kit."

4X4 MAGAZINE

UTILITY 4x2 & 4x4 SINGLE CAB

If capacity is a priority, the single cab measures up with our longest load bed of 2,315mm.

UTILITY 4x4 EXTENDED CAB

Offering an extended load bed of 1,805mm, it has the flexibility to carry two additional passengers on folding rear seats.







Our most versatile cab type, it will comfortably seat up to five occupants while the standard size load bed will accommodate all of your tools.

UTILITY 4x4 DOUBLE CAB



KEY FEATURES

EXTERIOR

- Automatic Headlights with High Beam Assist
- Automatic Windscreen Wipers with Rain Sensor
- Steel Wheels
- Full Size Spare Wheel
- Tailgate Damper (Double Cab Only)

INTERIOR

- Cloth Upholstery
- 6-Way Adjustable Driver's Seat
- Driver's Seat Lumbar Support
- Front Cup Holders
- Front Door Pockets with Bottle Holder
- Vinyl Floor Covering

ENTERTAINMENT

- Bluetooth[®] Connectivity
- DAB Radio
- CD Player
- Two Speakers
- Front USB Port

COMFORT & CONVENIENCE

- Height and Reach Adjustable Steering Wheel
- Steering Wheel Mounted Audio & Cruise Controls
- □ 4.2" Multi-Information Display
- Manual Air Conditioning
- 12-Volt Power Outlet

SAFETY & SECURITY

- □ 4WD Shift-On-The-Fly*
- Speed-Sensitive Power Steering
- Trailer Sway Control*
- Hill Start Assist & Hill Descent Control
- Advanced Driver Assist Systems (ADAS)
- Stop & Start System**

*4x4 models. **According to conditions, the Stop & Start system will automatically stop and restart the engine when the vehicle comes to a standstill to reduce fuel consumption and emissions.

VEHICLE SPECIFICATION

Key: ■ Standard - Unavailable ■ No Cost Option

EXTERIOR	4X2 SINGLE CAB	4X4 SINGLE CAB	EXTENDED CAB	DOUBLE CAB
Halogen Headlights	•	•	•	•
Halogen Daytime Running Lights	•			
Automatic Headlights	-	•	-	-
High Beam Assist	•	•	-	-
Rear Fog Lights	-	-	-	-
Automatic Windscreen Wipers with Rain Sensor	•	•	•	•
Heated Rear Screen	-	-	-	-
Black Radiator Grille	-	•	-	-
Black Front Bumper	-	-	-	-
Black Rear Bumper with Integrated Step	•	•	•	•
Black Door Mirrors	•		-	-
Heated Black Door Mirrors	-	-	-	-
Black Door Handles	-	-	-	-
Integrated Fuel Filler Cap with AdBlue	•	•	•	•
Tailgate Damper	-	-	-	•
WHEELS				
16" Steel Wheels	•	•	-	-
18" Steel Wheels	-	-	•	•
Full Size Spare Wheel - Steel				

INTERIOR	4X2 SINGLE CAB	4X4 SINGLE CAB	EXTENDED CAB	DOUBLE CAB
Cloth Upholstery	•	•		•
6-Way Adjustable Driver's Seat (Manual)	•	•	•	•
Driver's Seat Lumbar Support (Manual)	•	•	•	-
Driver's Seat Lumbar Support (Power)	-	-	-	•
Flat Folding Rear Seats	-	-	-	-
60/40 Folding Seat Base	-	-	-	•
Under Seat Base Storage	-	-	-	-
Height Adjustable Rear Headrests	-	-	-	-
Front Cup Holders (Centre Console & Dash - Driver & Passenger Sides)	•	•	•	•
Front Door Pockets with Bottle Holder	•	•	•	•
Rear Door Pockets with Bottle Holder	-	-	-	-
Vinyl Floor Covering	-	-	•	-
Driver's Foot Rest	-	•	•	-
ENTERTAINMENT				
Bluetooth [®] Connectivity	-	-	•	-
DAB Radio	-	•	•	•
CD Player	•	•		
Two Speakers	•	•	•	•
Front USB Port	•	•	•	

¹Driver side has auto up/down function, with pinch protection and timer. ²ADAS are driving support systems which may not operate optimally under all driving conditions or for all objects. The driver is always responsible for safe and attentive driving and observance of traffic regulations. See Owner's Manual for complete details on system operation and limitations. ³Manual & Intelligent Speed Limiter.

COMFORT & CONVENIENCE	4X2 SINGLE CAB	4X4 SINGLE CAB	EXTENDED CAB	DOUBLE CAB	SAFETY & SECURITY
Remote Control Central Locking				•	4WD Shift-On-The-Fly
Follow Me Home Light	-	-	-	-	Speed-Sensitive Power S
Power Windows (Front Only) ¹		-	-	-	ESC (Electronic Stability
Power Windows (Front & Rear) ¹	-	-	-	-	Traction Control
Sunglass Holder & Overhead Console		•	-		Trailer Sway Control
Map Lights	-	-	-	-	ABS (Anti-Lock Braking S
Driver & Passenger Sun Visors	•	-	•	•	EBD (Electronic Brakefor Distribution)
Height and Reach Adjustable Steering Wheel	•	•	•	•	Brake Assist System
Steering Wheel Mounted Audio &					Hill Start Assist
Cruise Controls	_	_	_	_	Hill Descent Control
12-Volt Power Outlet	•	•	•	•	E-Call
Gear Shift Indicator	•	-	•	•	Multi-Collision Brake
4.2" Multi-Information Display	•	-	•	•	Security Etched Glass
CLIMATE CONTROL					Insurance Approved Imm
Manual Air Conditioning	•	•	•		Alarm with Deadlock
ADVANCED DRIVER ASSIST SYSTEM Cruise Control	S²	-	-	-	Front, Side, Curtain & Dr SRS Airbags ⁴
Forward Collision Warning	-	-	-	-	Centre SRS Airbag ⁴
Autonomous Emergency Braking	-	-	-	-	Passenger Airbag Deacti
Traffic Sign Recognition	-	-	-		Height Adjustable Front
Intelligent Speed Limiter ³	-	-	-		with Pretensioner & Loa
Lane Departure Warning &	-	-	-	-	2 x Three-Point Rear Sea
Prevention System	•	•	•	•	3 x Three-Point Rear Sea
Blind Spot Monitor	-	-	-	-	& Centre)
Emergency Lane Keeping	-	-	-	•	ISOFIX Child Seat Ancho Tether Anchors (2 x Rea
Rear Cross Traffic Alert	-	-	-		Rear Door Child Locks

SAFETY & SECURITY	4X2 SINGLE CAB	4X4 SINGLE CAB	EXTENDED CAB	DOUBLE CAB
4WD Shift-On-The-Fly	-	-		
Speed-Sensitive Power Steering	•	•	•	•
ESC (Electronic Stability Control)	-	-		
Traction Control	•	•	•	•
Trailer Sway Control	-	-		
ABS (Anti-Lock Braking System)	•	•		
EBD (Electronic Brakeforce Distribution)	-	-	-	-
Brake Assist System	-	•	•	•
Hill Start Assist	-	-		
Hill Descent Control	•	•	•	•
E-Call	-	-		
Multi-Collision Brake	-	-		•
Security Etched Glass	-	-		
Insurance Approved Immobiliser	•	•	•	•
Alarm with Deadlock	•	-	•	•
Front, Side, Curtain & Driver Knee SRS Airbags⁴	•	•	•	•
Centre SRS Airbag⁴	-	-	-	
Passenger Airbag Deactivation Switch	•	•	•	•
Height Adjustable Front Seatbelts with Pretensioner & Load Limiter	•	•	•	-
2 x Three-Point Rear Seatbelts (Side)	-	-	•	-
3 x Three-Point Rear Seatbelts (Side & Centre)	-	-	-	-
ISOFIX Child Seat Anchors with Top Tether Anchors (2 x Rear Side)	-	-	-	-
Rear Door Child Locks	-	-	-	•
Seatbelt Reminder Indicator (All Seating Positions)	•	•	-	-
Door Open Warning Light	•	•	•	•
Stop & Start System⁵	•			

⁴SRS: Supplemental Restraint System. Must be used in conjunction with seatbelts. ⁵According to conditions, the Stop & Start system will automatically stop and restart the engine when the vehicle comes to a standstill to reduce fuel consumption and emissions.

TECHNICAL SPECIFICATION


ENGINE	4X2 SINGLE CAB	4X4 SINGLE CAB	EXTENDED CAB	DOUBLE CAB		
Engine Type	RZ4E					
Fuel Type		Diesel				
Arrangement Cylinders		4, In	line			
Firing Order		1-3-	4-2			
Bore (mm)		80	0.0			
Stroke (mm)		94	1.4			
Compression		15	6.9			
Engine Capacity (cm³)		18	98			
Idle Speed		750+	/- 25			
Fuel Tank Capacity (Litres)		7	6			
GEAR RATIOS						
1	4.942	4.942	4.942	4.942		
2	2.452	2.452	2.452	2.452		
3	1.428	1.428	1.428	1.428		
4	1.000	1.000	1.000	1.000		
5	0.749	0.749	0.749	0.749		
6	0.634	0.634	0.634	0.634		
Reverse	4.597 4.597 4.597 4.59					
Final Drive	4.100 4.100 4.300 4.30					
PERFORMANCE						
Net Power PS @ rpm	164 @ 3600					
Torque Nm @ rpm	360 @ 2000 - 2500					
Maximum Speed (mph)	112					
Acceleration (O-62mph) sec	12.7					
FUEL CONSUMPTION WLTP (MPG)1					
Low	27.6					
Mid	36.4					
High	39.4					
Extra-High	30.8					
Combined	33.6					
CO₂ emissions (g/km)	220					
Emissions Class	Euro 6D					

DIMENSIONS (MM)	4X2 SINGLE CAB	4X4 SINGLE CAB	EXTENDED CAB	DOUBLE CAB
Length	5305	5305	5265	5265
Width	1810	1810	1870	1870
Height	1770	1770	1790	1790
Front Overhang	890	890	890	890
Rear Overhang	1290	1290	1250	1250
Wheelbase	3125	3125	3125	3125
Track (Front & Rear)	1555	1555	1570	1570
Ground Clearance mm (Rear Axle)	225	225	225	225
Approach Angle (deg.)	29	29	31	31
Departure Angle (deg.)	23	23	24	24
Ramp Angle (deg.)	22	22	22	22
LOAD BED DIMENSIONS (MM)				
Length	2315	2315	1805	1495
Width	1530	1530	1530	1530
Depth	465	465	490	490
WEIGHTS (KG)				
Kerb Weight	1795	1895	1960	1985
Gross Vehicle Weight	3000	3100	3100	3100
Payload ²	1205	1205	1140	1115
Max Front Axle	1450	1450	1450	1450
Max Rear Axle	1910	1910	1910	1910
Trailer Weight Braked	2500	3500	3500	3500
Trailer Weight Unbraked	750	750	750	750
Nose Weight	100	245	245	245
Gross Train Weight	5500	6000	6000	6000
WHEELS & TYRES				
Tyres	205 R16C	205 R16C	265/60R18	265/60R18
Wheels	16x6.5 J	16x6.5 J	18x7.5 J	18x7.5 J


⁴MPG figures are EU test figures for comparative purposes and may not reflect real driving results. There is a new WLTP test used for fuel consumption and CO₂ figures. The fuel consumption and CO₂ emissions shown are based on the WLTP testing method. Only compare fuel consumption and CO₂ figures with other vehicles tested to the same technical standard. The fuel consumption you achieve in real life conditions and CO₂ produced will depend upon a number of factors including accessories fitted (post-registration), variations in weather, driving styles and vehicle load etc. ²Maximum payload capacity as defined by HM Revenue and Customs for VAT purposes. Payload is gross vehicle weight minus kerb weight. Kerb weights quoted are for vehicles with standard specification. Kerb weight and payload may be influenced by badge level, factory options and dealer fitted accessories. It is the responsibility of the vehicle operator to ensure their vehicle is legally compliant for road use.


THE NEW-LOOK ISUZU D-MAX BUSINESS RANGE

VEHICLE DIMENSIONS



DOUBLE CAB







COLOURS.



SPLASH WHITE



MERCURY SILVER METALLIC



OBSIDIAN GREY MICA



ONYX BLACK MICA



COMPANY CAR AND VAN

AWARD

WINNER

2023


Trade Van Driver

2023

AWARDS 2023 PICK-UP OF THE YEAR ISUZU D-MAX

PICK-UP OF THE YEAR

2023



Dimas

