



## BodyBuilder Information +

### ORDER INFORMATION XB 260 FA 4X2 RIGID, 19T CHASSIS/BODY

Explanation

#### General information

Chassis number	0L543686
Vehicle Identification Number	XLRAEL3700L543686
Production number	590628
DAF specification code	F5803BAAA
Market	Great Britain
Order status	Built
Drawing status	Preliminary
Build date (dd/mm/yyyy)	23-07-2024
Cab colour code	E1980WHITE

#### Special Request (POV)



Please note that the actual delivery of this vehicle may differ from the specification. In certain countries a custom drawing request for the altered content can be issued. More information about custom drawings request can be found in the 2D drawings section or at the selling DAF dealer.

Number	72555 / 00
--------	------------

Description	EN12642 XL rated curtains Cassette steps rear LHS Grab handle rear LHS* NOTES FROM SALES ENG: Detail design may dictate the grab handle is required to be a strap
-------------	---

Explanation**NOTE: To verify if a vehicle is specified with a DAF Plug & Play preparation:**

until 3 weeks before the build date, check in category 'Application packages' for a specific Plug & Play variant.

within 3 weeks before build or later, check if selection code '02729 Application connector Plug & Play' is available in category 'Bodies and preparations for bodying'.

**Driveline**

- 06654 No gearbox software setting
- 03600 Exhaust emission Euro 6
- 01553 Engine idle shutdown, 5 minutes
- 07667 Automatic gearbox PowerLine, 8-speed
- 02809 Rear axle ratio 5.13
- 02840 No differential lock
- 03721 ASR
- 02869 8-speed PowerLine 8AP1000 overdrive, 4.89-0.64
- 02793 Engine PX-7 , 189 kW/257 hp. Cab Badge: 260

**Cab interior**

- 01847 Right-hand drive (RHD)
- 03503 Mechanically adjustable steering column
- 09270 Soft grip steering wheel, black colour
- 00967 Seat belts red
- 04240 No roof hatch
- 03277 Driver seat: air suspended
- 09035 Co-driver seat: fixed velour
- 04656 Storage box on engine tunnel
- 02207 No auxiliary cab heater
- 00600 No lower bunk
- 02213 Air conditioning
- 01680 No curtains
- 09541 Arm rest driver seat
- 02080 No arm rest co-driver seat
- 08419 Converter 24V to 12V, 15A, 180W
- 07606 No ECAS remote control
- 12979 Window openers: electric

**Chassis**

00197 Wheelbase 5.85 m / rear overhang 2.68 m  
06490 Front underrun protection (FUP)  
01179 Standard component location  
06332 Spray suppression  
07679 Tank for AdBlue® 30 l, right-hand side chassis  
06982 Filler cap without lock for tank for AdBlue®  
00782 No rear underrun protection  
03623 No wheel chocks  
02652 Rear light brackets  
03322 Rear light with bulbs  
04425 Battery box left, no spare wheel carrier  
00450 Side member 270/8.0 mm, no reinforcement  
07578 EAS unit right, discharge right rearward  
01539 Plastic fuel tank 200 l

---

**Application conditions**

09919 Application class 10  
09985 Standard noise level  
04792 No radiator protection  
00805 Maximum ambient temperature 38 degrees  
01282 Moderate climate  
04986 No radiator flyscreen  
04482 Air intake high behind cab  
04767 Moisture separator, heated

---

**Bodies and preparations for bodying**

00126 Body attachment BAM 1, consoles type B  
07555 Double T lashing links, cargo pole  
07820 No hardwired body signals and warnings  
06691 Application connector on the cab front  
09560 No CAN functions in application connector  
01890 Curtain sider body  
04920 No ECAS in bump position at PTO ON  
01028 External body length 7930 mm  
04621 External body width 2540 mm  
00313 Tuck-under tail lift 1.5 tonnes  
04662 Rear double doors  
01083 Body height 3055 mm  
00757 Platform depth 1425 mm  
01017 Fixed ramp with roll stops  
01114 No side ramp  
01151 No anti-slip platform  
03263 Detachable side gates  
01346 Tail lift restart protection

01383 No box panels  
02702 Standard body floor  
01430 Face mounted rear lights  
01440 Galvanized cross bearers, spaced 400 mm  
01442 No side door  
01457 Front bulkhead support  
02712 Aluminium kick strips, front 228 mm  
02741 No external body protection  
00067 Contour markings  
00086 Contour markings side white, rear red

---

### **Drawbar and trailer equipment**

07680 Type plate related solo application, no trailer  
06582 No pneumatic trailer connection  
00344 Closing member  
08200 No electric trailer connection

---

### **Colours**

03708 C4P500GRY Chassis colour grey  
04828 Cab colour E1980 Crystal White  
09933 Head lamp panel and bumper: Stone Grey  
04879 Colour roof air deflector: Crystal white  
00038 No colour for side collars  
01303 Curtain colour 557 blue, panels white  
00786 Lower step cover, cab steps and wing Stone Grey.

---

### **GVM and GCM**

04669 Chassis weight related technical GVM max 19000 kg  
03756 Driveline related technical GCM equal to GVM

---

### **Power take-off (PTO)**

02336 No front engine PTO  
01412 No first gearbox PTO, no control  
06091 No rear engine PTO

---

### **Brake system**

02211 Exhaust brake  
09524 Park brake control with spoken warning  
04900 No spring brake cylinder front axle 1

---

### **Wheels and tyres**

03692 Wheel protection rings silvergrey  
03699 Goodyear

---

08102 Tyre pressure monitoring  
03274 Front axle(s): 315/70R22.5  
03479 Driven rear axle(s): 315/70R22.5  
00614 No spare tyre  
06878 Disc wheels steel, silvergrey  
16716 F1,315/70R22.5GO AFMAXS 156/150 L Steering ABA 3P  
16723 R1,315/70R22.5GO AFMAXD 154/150 L Traction ACA  
30909 SP, not applicable

---

### **Safety and security**

08630 No air bag  
04566 No fire extinguisher  
07414 Reverse warning with self-adjusting volume  
09992 Lane Departure Warning System  
06632 Basic engine immobiliser system  
01932 Drive-off Assist  
02641 DAF Side & Turn Assist  
03525 Alcohol interlock, prepared  
09491 Vehicle Stability Control (VSC)  
02568 Speed limit recognition  
02574 DAF drowsiness detection  
02931 No safety regulations  
17293 Compliant with UN Regulations R155 and R156

---

### **Cab exterior**

01173 Cab suspension mechanical  
01899 Day Cab  
00923 Green tinted glass  
00920 No side / rear glass  
08619 5 mirrors  
01064 Electrically adjustable mirrors  
00081 Central door lock system, 3 keys, 2 RC units  
01551 Front view mirror  
07342 No kerb view window co-driver door  
03707 Mirror brackets, body 2.50-2.60 m  
09037 External sun visor prepared  
00204 Head light beam for left-hand traffic  
09982 No auxiliary lights in the bumper  
00128 No hazard beacon  
06006 Daytime running lights  
02672 Rear view camera  
02590 No High Beam Assist  
04423 Halogen head lights with levelling device

---

### **Aerodynamics**

06776 Adjustable roof air deflector

04905 No side collars

---

### **Communication and driving management**

08023 Adaptive Cruise Control with FCW and AEBS-3

03273 Tachograph digital, Stoneridge 1C version G2V2

09680 No toll collect

01429 Speed limiter setting 85 km/h nominal

07515 No Emergency response system

07707 PACCAR Connect

07260 No TruckPhone

01431 No tacho calibration

09624 Antennas: AM/FM + GSM + GPS

06407 FMS connector, prepared

01171 FM/DAB/DAB+ radio with speakers incl. phone con.

15105 Driver Performance Assistant

---

### **Vehicle delivery**

02019 Standard toolkit

06617 Type plate EEC

08011 No pre-delivery inspection

07568 No lifting jack

08057 Whole Vehicle Type Approval (WVTA) GB

09881 Standard fuel quantity +30 liters

16149 CO2 indication: Y

13151 Great Britain registration

17924 CoC language English (EN)

---

### **Suspension and axles**

06883 Front: 7.50 t, parabolic, 152N

06871 Rear: 11.50 t, parabolic, SR1132

08032 Front axle 1, 6300 kg, tyre load index 148

08078 Rear axle 1, 11500 kg, tyre load index 145

---

### **24V power supply**

01003 Alternator 100 A, batteries 2x 175 Ah

---

### **Service and maintenance**

04834 Standard Warranty - 1Y Full - 2nd year DL - 1Y BD

17622 Delete DAF 2 year Preventive Maintenance - 320k

12918 Delivery charge United Kingdom

12495 ITS service

15351 Warranty Plus - 3 Year Vehicle 3 Year Driveline

17463 Parts used for manufacturing contain SVHCs

---

### Application packages

12939 No application option

---

### Special request (POV)

10175 Special request (POV)

---

### Customer needs

13019 Distribution  
 13024 General haulage  
 13047 Curtainsider / tarpaulin  
 13011 Flat (0-3%)> Hilly (3-6%) / Mountainous (7-11%)  
 15638 Distribution, 1 to 6 drops  
 13004 Normal  
 13121 Tuck under tail lift (1000 kg)  
 13106 No auxiliary equipment  
 13328 No goods type specified  
 10269 No Specific Regime  
 13999 British operating area  
 14569 No goods specified  
 14721 No colli type specified  
 14731 No colli specified

---

Explanation

### Notes:


Automatically generated 2D-drawings and STEP-files are based on the standard vehicle program layout. If a Special Request (POV) that effects the component layout is applicable, please consult the Additional information via the Special request (POV) button below. This is usually available 10-12 weeks prior to the scheduled production date for vehicles of the XD/XD/XG and XG<sup>+</sup> series and 7 weeks for vehicles of the XB series. If more than one vehicle order number are related to a Special Request, the additional information can only be downloaded when loading the first (usually the lowest) related order number in BBI<sup>+</sup> Order Information.

**3D-model files (with exception of the chassis frame) have a mild deformation for Intellectual Property reasons.**

Explanation

Advanced viewer

Explanation



Reset

[Disclaimer](#)

#### NOTES:

- **Order information** is available for (most) DAF vehicle series from 01-01-2017 and later. For chassis drawings of older vehicles please consult the generic drawing archives on [www.DAFBBI.com](http://www.DAFBBI.com).
- **Special Requests:** deviations on vehicles from our standard product program due to Special Requests (called POV"), are not included in the on-line 3D-visualisation and downloadable content. If a Special Request is applicable to an order, its content is described in the bottom of the Vehicle Information-tab. More information about (custom) drawings request can be found [here](#).
- **Bodybuilder Report:** to further support Bodybuilders with calculated chassis specific information (e.g. layout dimensions, chassis height and axle loads) the DAF dealer can generate a chassis-specific BodyBuilder Report. For more information about the Bodybuilder Report [click here](#). A short version, which contains most essential information of the Bodybuilder Report only, is automatically supplied with every automated 2D-drawing request on the Downloads tab.
- **Share Configuration ID:** a 38-character string that enables sharing of a vehicle configuration before a DAF order number is available. A Share Configuration ID can be generated by a customer/bodybuilder in the [DAF Truck Configurator](#) (valid for 20 weeks) or by the salesman in the DAF Sales program (valid until vehicle build date)