



BodyBuilder Information +

ORDER INFORMATION
XB 260 FA 4X2 RIGID, 19T CHASSIS/BODY

Explanation

General information

Chassis number	0L543496
Vehicle Identification Number	XLRAEL3700L543496
Production number	590639
DAF specification code	F5803BAAA
Market	Great Britain
Order status	Built
Drawing status	Preliminary
Build date (dd/mm/yyyy)	15-07-2024
Cab colour code	E1980WHITE

Special Request (POV)



Please note that the actual delivery of this vehicle may differ from the specification. In certain countries a custom drawing request for the altered content can be issued. More information about custom drawings request can be found in the 2D drawings section or at the selling DAF dealer.

Number	72555 / 00
--------	------------

Description	EN12642 XL rated curtains Cassette steps rear LHS Grab handle rear LHS* NOTES FROM SALES ENG: Detail design may dictate the grab handle is required to be a strap
-------------	---

Explanation**NOTE: To verify if a vehicle is specified with a DAF Plug & Play preparation:**

until 3 weeks before the build date, check in category 'Application packages' for a specific Plug & Play variant.

within 3 weeks before build or later, check if selection code '02729 Application connector Plug & Play' is available in category 'Bodies and preparations for bodying'.

Driveline

06654 No gearbox software setting
03600 Exhaust emission Euro 6
01553 Engine idle shutdown, 5 minutes
07667 Automatic gearbox PowerLine, 8-speed
02809 Rear axle ratio 5.13
02840 No differential lock
03721 ASR
02869 8-speed PowerLine 8AP1000 overdrive, 4.89-0.64
02793 Engine PX-7 , 189 kW/257 hp. Cab Badge: 260

Cab interior

01847 Right-hand drive (RHD)
03503 Mechanically adjustable steering column
09270 Soft grip steering wheel, black colour
00967 Seat belts red
04240 No roof hatch
03277 Driver seat: air suspended
09035 Co-driver seat: fixed velour
04656 Storage box on engine tunnel
02207 No auxiliary cab heater
00600 No lower bunk
02213 Air conditioning
01680 No curtains
09541 Arm rest driver seat
02080 No arm rest co-driver seat
08419 Converter 24V to 12V, 15A, 180W
07606 No ECAS remote control
12979 Window openers: electric

Chassis

00197 Wheelbase 5.85 m / rear overhang 2.68 m
06490 Front underrun protection (FUP)
01179 Standard component location
06332 Spray suppression
07679 Tank for AdBlue® 30 l, right-hand side chassis
06982 Filler cap without lock for tank for AdBlue®
00782 No rear underrun protection
03623 No wheel chocks
02652 Rear light brackets
03322 Rear light with bulbs
04425 Battery box left, no spare wheel carrier
00450 Side member 270/8.0 mm, no reinforcement
07578 EAS unit right, discharge right rearward
01539 Plastic fuel tank 200 l

Application conditions

09919 Application class 10
09985 Standard noise level
04792 No radiator protection
00805 Maximum ambient temperature 38 degrees
01282 Moderate climate
04986 No radiator flyscreen
04482 Air intake high behind cab
04767 Moisture separator, heated

Bodies and preparations for bodying

00126 Body attachment BAM 1, consoles type B
07555 Double T lashing links, cargo pole
07820 No hardwired body signals and warnings
06691 Application connector on the cab front
09560 No CAN functions in application connector
01890 Curtain sider body
04920 No ECAS in bump position at PTO ON
01028 External body length 7930 mm
04621 External body width 2540 mm
00313 Tuck-under tail lift 1.5 tonnes
04662 Rear double doors
01083 Body height 3055 mm
00757 Platform depth 1425 mm
01017 Fixed ramp with roll stops
01114 No side ramp
01151 No anti-slip platform
03263 Detachable side gates
01346 Tail lift restart protection

01383 No box panels
02702 Standard body floor
01430 Face mounted rear lights
01440 Galvanized cross bearers, spaced 400 mm
01442 No side door
01457 Front bulkhead support
02712 Aluminium kick strips, front 228 mm
02741 No external body protection
00067 Contour markings
00086 Contour markings side white, rear red

Drawbar and trailer equipment

07680 Type plate related solo application, no trailer
06582 No pneumatic trailer connection
00344 Closing member
08200 No electric trailer connection

Colours

03708 C4P500GRY Chassis colour grey
04828 Cab colour E1980 Crystal White
09933 Head lamp panel and bumper: Stone Grey
04879 Colour roof air deflector: Crystal white
00038 No colour for side collars
01303 Curtain colour 557 blue, panels white
00786 Lower step cover, cab steps and wing Stone Grey.

GVM and GCM

04669 Chassis weight related technical GVM max 19000 kg
03756 Driveline related technical GCM equal to GVM

Power take-off (PTO)

02336 No front engine PTO
01412 No first gearbox PTO, no control
06091 No rear engine PTO

Brake system

02211 Exhaust brake
09524 Park brake control with spoken warning
04900 No spring brake cylinder front axle 1

Wheels and tyres

03692 Wheel protection rings silvergrey
03699 Goodyear

08102 Tyre pressure monitoring
03274 Front axle(s): 315/70R22.5
03479 Driven rear axle(s): 315/70R22.5
00614 No spare tyre
06878 Disc wheels steel, silvergrey
16716 F1,315/70R22.5GO AFMAXS 156/150 L Steering ABA 3P
16723 R1,315/70R22.5GO AFMAXD 154/150 L Traction ACA
30909 SP, not applicable

Safety and security

08630 No air bag
04566 No fire extinguisher
07414 Reverse warning with self-adjusting volume
09992 Lane Departure Warning System
06632 Basic engine immobiliser system
01932 Drive-off Assist
02641 DAF Side & Turn Assist
03525 Alcohol interlock, prepared
09491 Vehicle Stability Control (VSC)
02568 Speed limit recognition
02574 DAF drowsiness detection
02931 No safety regulations
17293 Compliant with UN Regulations R155 and R156

Cab exterior

01173 Cab suspension mechanical
01899 Day Cab
00923 Green tinted glass
00920 No side / rear glass
08619 5 mirrors
01064 Electrically adjustable mirrors
00081 Central door lock system, 3 keys, 2 RC units
01551 Front view mirror
07342 No kerb view window co-driver door
03707 Mirror brackets, body 2.50-2.60 m
09037 External sun visor prepared
00204 Head light beam for left-hand traffic
09982 No auxiliary lights in the bumper
00128 No hazard beacon
06006 Daytime running lights
02672 Rear view camera
02590 No High Beam Assist
04423 Halogen head lights with levelling device

Aerodynamics

06776 Adjustable roof air deflector

04905 No side collars

Communication and driving management

08023 Adaptive Cruise Control with FCW and AEBS-3

03273 Tachograph digital, Stoneridge 1C version G2V2

09680 No toll collect

01429 Speed limiter setting 85 km/h nominal

07515 No Emergency response system

07707 PACCAR Connect

07260 No TruckPhone

01431 No tachometer calibration

09624 Antennas: AM/FM + GSM + GPS

06407 FMS connector, prepared

01171 FM/DAB/DAB+ radio with speakers incl. phone con.

15105 Driver Performance Assistant

Vehicle delivery

02019 Standard toolkit

06617 Type plate EEC

08011 No pre-delivery inspection

07568 No lifting jack

08057 Whole Vehicle Type Approval (WVTA) GB

09881 Standard fuel quantity +30 liters

16149 CO2 indication: Y

13151 Great Britain registration

17924 CoC language English (EN)

Suspension and axles

06883 Front: 7.50 t, parabolic, 152N

06871 Rear: 11.50 t, parabolic, SR1132

08032 Front axle 1, 6300 kg, tyre load index 148

08078 Rear axle 1, 11500 kg, tyre load index 145

24V power supply

01003 Alternator 100 A, batteries 2x 175 Ah

Service and maintenance

04834 Standard Warranty - 1Y Full - 2nd year DL - 1Y BD

17622 Delete DAF 2 year Preventive Maintenance - 320k

12918 Delivery charge United Kingdom

12495 ITS service

15351 Warranty Plus - 3 Year Vehicle 3 Year Driveline

17463 Parts used for manufacturing contain SVHCs

Application packages

12939 No application option

Special request (POV)

10175 Special request (POV)

Customer needs

13019 Distribution
 13024 General haulage
 13047 Curtainsider / tarpaulin
 13011 Flat (0-3%)> Hilly (3-6%) / Mountainous (7-11%)
 15638 Distribution, 1 to 6 drops
 13004 Normal
 13121 Tuck under tail lift (1000 kg)
 13106 No auxiliary equipment
 13328 No goods type specified
 10269 No Specific Regime
 13999 British operating area
 14569 No goods specified
 14721 No colli type specified
 14731 No colli specified

Explanation

Notes:



Automatically generated 2D-drawings and STEP-files are based on the standard vehicle program layout. If a Special Request (POV) that effects the component layout is applicable, please consult the Additional information via the Special request (POV) button below. This is usually available 10-12 weeks prior to the scheduled production date for vehicles of the XD/XD/XG and XG⁺ series and 7 weeks for vehicles of the XB series. If more than one vehicle order number are related to a Special Request, the additional information can only be downloaded when loading the first (usually the lowest) related order number in BBI⁺ Order Information.

3D-model files (with exception of the chassis frame) have a mild deformation for Intellectual Property reasons.

Explanation

Advanced viewer

Explanation

[Reset](#)[Disclaimer](#)

NOTES:

- **Order information** is available for (most) DAF vehicle series from 01-01-2017 and later. For chassis drawings of older vehicles please consult the generic drawing archives on www.DAFBBI.com.
- **Special Requests:** deviations on vehicles from our standard product program due to Special Requests (called POV"), are not included in the on-line 3D-visualisation and downloadable content. If a Special Request is applicable to an order, its content is described in the bottom of the Vehicle Information-tab. More information about (custom) drawings request can be found [here](#).
- **Bodybuilder Report:** to further support Bodybuilders with calculated chassis specific information (e.g. layout dimensions, chassis height and axle loads) the DAF dealer can generate a chassis-specific BodyBuilder Report. For more information about the Bodybuilder Report [click here](#). A short version, which contains most essential information of the Bodybuilder Report only, is automatically supplied with every automated 2D-drawing request on the Downloads tab.
- **Share Configuration ID:** a 38-character string that enables sharing of a vehicle configuration before a DAF order number is available. A Share Configuration ID can be generated by a customer/bodybuilder in the [DAF Truck Configurator](#) (valid for 20 weeks) or by the salesman in the DAF Sales program (valid until vehicle build date)