XBC 260 FA 4X2 Rigid, 19t

NOTE: To verify if a vehicle is specified with a DAF Plug & Play preparation:

- until 3 weeks before the build date, check in category 'Application packages' for a specific Plug & Play variant.
- within 3 weeks before build or later, check if selection code '02729 Application connector Plug & Play' is available in category 'Bodies and preparations for bodying'.

Specification

Standard order configuration:

Cab exterior

01173 - Cab suspension mechanical

01899 - Day Cab

00923 - Green tinted glass

00920 - No side / rear glass

08619 - 5 mirrors

01064 - Electrically adjustable mirrors

00081 - Central door lock system, 3 keys, 2 RC units

01551 - Front view mirror

07342 - No kerb view window co-driver door

09283 - Mirror brackets, body 2.40-2.50 m

01174 - External sun visor green translucent

00204 - Head light beam for left-hand traffic

09982 - No auxiliary lights in the bumper

02083 - Two hazard beacon lights LED

06006 - Daytime running lights

02672 - Rear view camera

02590 - No High Beam Assist

04423 - Halogen head lights with levelling device

Aerodynamics

04898 - No roof air deflector

04905 - No side collars

Colours

03708 - C4P500GRY Chassis colour grey

04828 - Cab colour E1980 Crystal White

09933 - Head lamp panel and bumper: Stone Grey

09048 - No colour for roof air deflector and collars

00038 - No colour for side collars

00786 - Lower step cover, cab steps and wing Stone Grey.

Cab interior

01847 - Right-hand drive (RHD)

03503 - Mechanically adjustable steering column

09271 - Steering wheel, leather, colour black

03601 - Seat belts black

04240 - No roof hatch

00199 - Driver seat: luxury air suspended

09035 - Co-driver seat: fixed velour

04656 - Storage box on engine tunnel

02207 - No auxiliary cab heater

00600 - No lower bunk

02213 - Air conditioning

01680 - No curtains

09541 - Arm rest driver seat

02081 - Arm rest co-driver seat

08419 - Converter 24V to 12V, 15A, 180W

07606 - No ECAS remote control

Communication and driving management

09908 - Cruise control

03235 - Tachograph digital, VDO version G2V2A

09680 - No toll collect

06935 - Speed limiter setting 90 km/h

07515 - No Emergency response system

07707 - PACCAR Connect 10 year subscription

07260 - No TruckPhone

01431 - No tacho calibration

09624 - Antennas: AM/FM + GSM + GPS

06407 - FMS connector, prepared

01171 - FM/DAB/DAB+ radio with speakers incl. phone con.

Safety and security

08630 - No air bag

04566 - No fire extinguisher

07414 - Reverse warning with self-adjusting volume

09991 - No Lane Departure Warning System

06632 - Basic engine immobiliser system

01932 - Drive-off Assist

02641 - DAF Side & Turn Assist

03525 - Alcohol interlock, prepared

09491 - Vehicle Stability Control (VSC)

01971 - City Safety Package

02568 - Speed limit recognition

02574 - DAF drowsiness detection

02931 - No safety regulations

Suspension and axles

06883 - Front: 7.50 t, parabolic, 152N

04525 - Rear: 11.50 t, asymmetric parabolic, SR1132

08036 - Front axle 1, 7500 kg, tyre load index 154

08078 - Rear axle 1, 11500 kg, tyre load index 145

Wheels and tyres

03692 - Wheel protection rings silvergrey

03699 - Goodyear

08102 - Tyre pressure monitoring

01387 - Front axle(s): 315/80R22.5

01389 - Driven rear axle(s): 315/80R22.5

00614 - No spare tyre

06878 - Disc wheels steel, silvergrey

Driveline

07100 - Standard transport, Full version

03600 - Exhaust emission Euro 6

01553 - Engine idle shutdown, 5 minutes

07667 - Automatic gearbox PowerLine, 8-speed

02809 - Rear axle ratio 5.13

02843 - Mechanical differential lock

03721 - ASR

02869 - 8-speed PowerLine 8AP1000 overdrive, 4.89-0.64

02793 - Engine PX-7 , 189 kW/257 hp. Cab Badge: 260

Brake system

02211 - Exhaust brake

03637 - Park brake control

04901 - Spring brake cylinders on the first front axle

Chassis

00099 - Wheelbase 3.75 m / rear overhang 1.12 m

03604 - No front underrun protection

01179 - Standard component location

06331 - No spray suppression

07679 - Tank for AdBlue® 30 l, right-hand side chassis

07970 - Fuel tank left

06982 - Filler cap without lock for tank for AdBlue®

00782 - No rear underrun protection

03623 - No wheel chocks

02652 - Rear light brackets

03323 - Rear light with LEDs

04425 - Battery box left, no spare wheel carrier

00450 - Side member 270/8.0 mm, no reinforcement

00236 - EAS unit right, vertical discharge

01539 - Plastic fuel tank 200 l

Drawbar and trailer equipment

07680 - Type plate related solo application, no trailer

06582 - No pneumatic trailer connection

00344 - Closing member

08200 - No electric trailer connection

Bodies and preparations for bodying

00095 - Standard body attachment hole pattern

04634 - Body functions

07820 - No hardwired body signals and warnings

06692 - Application connector chassis

09560 - No CAN functions in application connector

01503 - Side marker lights

08120 - No tail lift application

03228 - No application connector flexible

02550 - No ex works body type

01030 - No ECAS control

Power take-off (PTO)

02336 - No front engine PTO

07684 - First gearbox PTO P058-Z1-PB7K5-294 c-R-1,214

06091 - No rear engine PTO

24V power supply

08717 - Alternator 80 A, batteries 2x 125 Ah

GVM and GCM

04669 - Chassis weight related technical GVM max 19000 kg

03756 - Driveline related technical GCM equal to GVM

Application conditions

09919 - Application class 10

09985 - Standard noise level

04793 - Radiator protection plate

00805 - Maximum ambient temperature 38 degrees

01282 - Moderate climate

04986 - No radiator flyscreen

04482 - Air intake high behind cab

04256 - Moisture separator, unheated

Service and maintenance

04834 - Standard Warranty - 1Y Full - 2nd year DL - 1Y BD

Vehicle delivery

02019 - Standard toolkit

06617 - Type plate EEC

08011 - No pre-delivery inspection

07568 - No lifting jack

08057 - Whole Vehicle Type Approval (WVTA) GB

09881 - Standard fuel quantity +30 liters