

# Summarized Specification

## Vehicle Summary

### Factory options

#### Cab exterior

Single glazed window in the cab rear wall.

Additional, lower window in the co-driver's door.

Central door lock system with exterior light check function. Includes 2 remote control units and 3 transponder keys.  
3

#### Cab interior

Steering column rake and height adjustment with pneumatically controlled lock.

Seat belts in colour red, to enable a visual seat belt check from outside the cab.

Manually controlled airco with air recirculation.

#### Communication and driving management

No PACCAR Connect

Speed limiter setting 85 km/h nominal. The tolerance enables a maximum vehicle speed of 88.5 km/h.

FM/AM/DAB/DAB+ radio/CD player. A Bluetooth mobile phone connection is included with automatic mute of the audio system. Speaker system with 2 speakers.

#### Safety and security

Acoustic reverse warning with override switch.

#### Suspension and axles

Single reduction driven rear axle type SR1132 with asymmetric parabolic leaf suspension, including shock absorbers. Max. load 11.5 tonnes.

#### Brake system

Park brake control with spoken park brake warning.

#### Chassis

Wheelbase 4.15 m / rear overhang 1.12 m.

EAS unit located at the right-hand side of the chassis. Discharge to the centre of the vehicle.

Side member height 270 mm, thickness 8.0 mm. No inner reinforcement.

#### Bodies and preparations for bodying

Hardwired body signals and warnings.

Hardwired engine speed control connector chassis

#### Power take-off (PTO)

First PTO type N./4c, mounted below the gearbox countershaft. Gear ratio 32/25, direct pump drive.

#### Application conditions

Moisture separator with 30 micron filter element and heated filter bowl. Status panel with drain warning on the dashboard.

Air intake high behind cab.

#### Service and maintenance

Delete DAF 2 year Preventive Maintenance - 320k.

#### Customer needs

Crane front light loads ( 4 - 10 ton.meter)

Distribution, 7 to 15 drops

**Quotation no:** MW 05122

**Date:** 21<sup>st</sup> February 2025

Motus Commercials Limited  
 Hedon Road,  
 Hull,  
 HU9 5PJ

Dear Allun,

**Subject:** 18t curtain-side body Conversion and Wheelbase Extension.

Thank you again for your valued enquiry, further to which I have pleasure in attaching our official quotation for the following:

<b>Customer:</b>	As Above	<b>End User:</b>	Stock
<b>Base Vehicle:</b>	DAF	<b>Model:</b>	LF 7.5t 4.3m wheelbase

- W/b extension:** Extend wheelbase to 6250mm.
- Body type:** Curtain-side.
- Dimensions:** Overall length - 8535mm long.  
Overall width - 2550mm wide.  
Aperture under pelmet - 2400mm (TBC).
- Deflector:** Supply and fit cab roof deflector.
- Sub Frame:** 150 x 50 x 5mm pre-drilled galvanised long runners.  
100 x 50 x 3mm pre-drilled galvanised cross bearers at 406mm centres.  
All secured to chassis with recommended mountings.  
V groove side rave with 8 recessed lashing points per side.
- Front Frame:** 17mm GRP panel with galvanised pillars.
- Rear Frame:** Galvanised rear frame with flush barn doors and heavy-duty retainers.  
Rubber buffers to lower frame.
- Body Sides:** Heavy duty PVC curtains (colour TBC) tensioned at front and rear with twin arm tensioners.
- Floor:** 21mm Wisadek flooring screwed to every bearer and sealed to edges.
- Roof:** Standard alloy frame translucent fibreglass roof with galvanised roof bows.
- Load Restraint:** Henderson track inboard of cant rail to both sides with 8 rollers and straps.  
V Groove side rave with 8 points per side.
- Wings:** Thermo-plastic mud-wings and spray suppression.
- Under-run:** O/E.
- Side Guards:** Hinged alloy side guards fitted to Type approval and C&U Regulations.

- Lighting:** Amber LED side markers. Red LED rear markers all fitted to current lighting regulations and type approval requirements.  
2 x LED interior lights operated via PIR.
- Additional Items:** Pull out step to be fitted near side rear with grab strap on pillar.  
In cab height indicator.
- Tail lift:** Not required.
- Paint/Livery:** Conspicuity markings to current legislation.  
No paint requested.  
No livery requested but can be quoted on receipt of artwork.
- Approval:** Supply all relevant paperwork for the Type approval and registration of vehicle.



I hope you find this quotation to your satisfaction and trust the information is sufficient for your present needs.

Please be assured of our best attention at all times.

For and on behalf of  
**Martin Williams (Hull) Ltd**

Jonathan Cooper  
National sales Manager  
Mobile: 07469 083808  
Office: 01482 897607  
E-mail: jonc@mwhull.co.uk